

# Hand-Held LED UV Lamp



### **Inspect faster**

Speeds up inspection time with the widest, most even beam on the market. Indications are clearly visible even at the edge of the 9 inch /  $23 \, \text{cm}$  wide beam, thanks to the high intensity LED beam.



### Certified, for everything

Use for virtually any fluorescent penetrant or mag particle inspection because each EV6000 is individually certified to meet or exceed ASTM E3022 and Aerospace Prime & OEM specifications, including RRES 90061.



# Real-world dependability

Reduces on-the-job downtime with dependable, reinforced construction. Fully sealed housing will stand up to the elements, along with a fan-less cooling system and non-clouding lens for reliable, consistent inspections.





### Improves operator comfort

30% lighter than a mercury-vapor lamp, the EV6000 helps inspectors work more comfortably by reducing arm strain, and by keeping inspection booths from heating up by using cool-running LED technology.



# Safer working conditions


Removes the possibility of operator burns through cool LED technology and eliminates hazardous mercury vapor waste disposal.



#### **Specifications Conformance**

- AMS 2647D
- ASME BPVC
- ASTM E1417
- ASTM E1444
- ASTM E165
- ASTM E2297
- ASTM E3022
- ASTM E3024

- ASTM E709
- ASTM F601
- · ISO 3059
- ISO 3452
- NADCAP AC7114/1
- NADCAP AC7114/2
- RRES 90061



#### **Product Properties**

Light Sources	5 UV LEDs
3	
Light Filter	UV-A Pass Filter
Max UV Intensity*	5,000 μW/cm <sup>2</sup>
UV Light Coverage*	9 in / 23 cm
Visible Light in UV Mode	< 0.5 fc / 5 Lux
Heat Management	Sealed, passive cooling
Weight, Lamp	2.8 lb / 1.3 kg
Weight, Power Supply	1.4 lb / 0.6 kg

<sup>\*</sup>At 15 in / 38 cm distance

For more information on how the EV6000 can help safely improve inspections, visit magnaflux.com/EV6000 or contact Magnaflux customer service at cs@magnaflux.com or +1 847-657-5300.





